

JOB NAME: \_\_\_\_\_

Date: \_\_\_\_\_

TYPE: \_\_\_\_\_

## K11 Series 4" 10W Round J-box Downlight



### PRODUCT BENEFITS

- Stronger high tension spring clips will not move and will sit tightly to the ceiling for a lifetime of use.
- Duralast driver state-of-the-art engine.
- Compatible with most dimmers down to 10%.
- Mount directly into ceiling, no housing required.

### PRODUCT FEATURES

- CCT Options: Available in 3000K and 5000K ,2700K,3500K,4000K are available by request.
- Instant on.
- Triac dimming standard.
- Type of protection: Wet location.



JOB NAME: \_\_\_\_\_

Date: \_\_\_\_\_

TYPE: \_\_\_\_\_

## PRODUCT DATASHEET

### ELECTRICAL SPECIFICATIONS

<b>Voltage:</b>	AC 120V
<b>Frequency:</b>	60Hz
<b>Wattages:</b>	10W
<b>Power Factor:</b>	≥0.90
<b>Input Current:</b>	100mA
<b>THD:</b>	≤20%
<b>Ripple Current:</b>	≤5%
<b>Frequency of LED current:</b>	≥120Hz

### LIGHTING SPECIFICATIONS

<b>LUMENS:</b>	800 lm
<b>Color:</b>	2700K,3000K,3500K,4000K,5000K
<b>Efficiency:</b>	80 LPW
<b>Ra:</b>	≥92
<b>R9:</b>	≥0
<b>SDCM:</b>	≤6
<b>Duv:</b>	≤0.006
<b>Beam Angle:</b>	100°
<b>Dimmable:</b>	Triac dimmable

### OPERATION AND INFORMATION


<b>Housing:</b>	Aluminum
<b>Optical-Lens:</b>	PC
<b>Operating Temp:</b>	-4°F ~ + 113°F
<b>Storage Temp:</b>	-22°F ~ + 149°F
<b>Usage Environment:</b>	Wet Location
<b>Environment:</b>	Indoor

### SHIPPING

<b>Product Net weight:</b>	0.50lbs
<b>Master Carton Size:</b>	22.24" x 17.72" x17.32"
<b>Quantity/Carton:</b>	60pcs
<b>Gross Weight:</b>	39.68lbs
<b>Pcs / Pallet:</b>	1200cs
<b>Pcs / 20' GP:</b>	15600pcs (No Pallet) / 12000pcs (Palletized)
<b>Pcs / 40' HQ:</b>	37440pcs (No Pallet) / 24000pcs (Palletized)

### CERTIFICATES

<b>Standard:</b>	ETL,ES,CE,RoHS
<b>Warranty:</b>	5 years



JOB NAME: \_\_\_\_\_

Date: \_\_\_\_\_

TYPE: \_\_\_\_\_


### SPECIFICATIONS / ORDER INFO

SKU	Catalog Number	SIZE
LU10073-X	K11-10W-4BJ-XXK-LR-WH	4"

### LAMP CODE DEFINITIONS

Category	Wattage	Size	BJ	CCT	Shape	Color
K11=Series Number	10W	4=4"	BJ=J-BOX	XXK=27K,30K,35K,40K,50K	LR=Round	WH=White

### SIZE CHART





ENERGY STAR CERTIFIED  
**Light Fixtures**

## ALT - Recessed Downlight : K11-10W-4BJ-##K-LR-\*\*

Specifications	
ENERGY STAR Unique ID:	2352586
ENERGY STAR Partner:	ALT
Brand Name:	ALT
Model Name:	Recessed Downlight
Model Number:	K11-10W-4BJ-##K-LR-**
Indoor/Outdoor:	Indoor
Fixture Type:	Downlight Recessed
Technology:	LED
Total Light Output (lumens):	600
Appearance/Correlated Color Temperature (K):	2700K
Total Input Power (Watts):	10.0
Color Quality (CRI):	93
Energy Efficiency - Measured Outside the Fixture (lumens/Watt):	60.0
Power Factor:	0.91
Light Source Life (hrs):	50000
Can Size(s):	4
Can Rating(s):	Type IC
Special Features:	Continuously Dimmable,Damp Location Rated
Light Source Connection/Base Type:	N/A
Date Available On Market:	2019-11-13
Date Certified:	2019-12-23
Markets:	United States, Canada
ENERGY STAR Certified:	Yes

## Additional Model Information

,,“##” represents CCT, it can be 27=2700K,30=3000K, 35=3500K, 40=4000K, 50=5000K “\*\*” represents enclosure color, it can be W=White, BK=Black, BR=Bronze, BN=Brushed Nickel.

**UPC Codes**

**Captured On:**  
12/21/2021