



JOB NAME: _____

Date: _____

TYPE: _____

K17 Series 4" 10W Square J-box Downlight



PRODUCT BENEFITS

- Stronger high tension Spring Clips will not move and will sit tightly to the ceiling for a lifetime of use.
- Duralast driver state-of-the-art engine.
- Compatible with most dimmers down to 10%.
- Mount directly into ceiling, no housing required.

PRODUCT FEATURES

- CCT Options: Available in 3000K and 5000K ,2700K,3500K,4000K are available by request.
- Instant on.
- Triac dimming standard.
- Type of protection: Wet location.



JOB NAME: _____

Date: _____

TYPE: _____

PRODUCT DATASHEET

ELECTRICAL SPECIFICATIONS

Voltage:	AC 120V
Frequency:	60Hz
Wattages:	10W
Power Factor:	≥0.90
Input Current:	100mA
THD:	≤20%
Ripple Current:	≤5%
Frequency of LED current:	≥120Hz

LIGHTING SPECIFICATIONS

LUMENS:	800 lm
Color:	2700K,3000K,3500K,4000K,5000K
Efficiency:	80 LPW
Ra:	≥92
R9:	≥0
SDCM:	≤6
Duv:	≤0.006
Beam Angle:	100°
Dimmable:	Triac dimmable

OPERATION AND INFORMATION

Housing:	Aluminum
Optical-Lens:	PC
Operating Temp:	-4°F ~ + 113°F
Storage Temp:	-22°F ~ + 149°F
Usage Environment:	Wet Location
Environment:	Indoor

SHIPPING

Product Net weight:	0.65lbs
Master Carton Size:	18.50" x 15.35" x22.44"
Quantity/Carton:	60pcs
Gross Weight:	48.50lbs
Pcs / Pallet:	1080cs
Pcs / 20' GP:	14400pcs (No Pallet) / 10800pcs (Palletized)
Pcs / 40' HQ:	34560pcs (No Pallet) / 21600pcs (Palletized)

CERTIFICATES

Standard:	ETL,ES,CE,RoHS
Warranty:	5 years



JOB NAME: _____

Date: _____

TYPE: _____

SPECIFICATIONS / ORDER INFO

SKU	Catalog Number	SIZE
LU10075-X	K17-10W-4BJ-XXK-LS-WH	4"

LAMP CODE DEFINITIONS

Category	Wattage	Size	BJ	CCT	Shape	Color
K17=Series Number	10W	4=4"	BJ=J-BOX	XXK=27K,30K,35K,40K,50K	LS=Square	WH=White

SIZE CHART

